

Property Description Report For: Stinebrickner Rd, Municipality of Town of Lewis

Status:ActiveRoll Section:TaxableSwis:233200

Tax Map ID #: 399.00-01-28.000 **Property Class:** 322 - Rural vac>10

Site: RES 1
In Ag. District: No

Site Property Class: 322 - Rural vac>10

Zoning Code: 01

Neighborhood Code: 03202 - Rural
School District: Adirondack
Total Assessment: 2025 - Tentative

\$15,700 2024 - **\$15,700**

2024 - \$15,700 2025 - Tentative

2025 - Tentative

Full Market Value: 2025 - Tentative \$29,500

No Photo Available

\$29,500 2024 - \$24,500

12.50

\$15,700

Equalization Rate: 2025 - Tentative

53.30% 2024 - 64.00%

Deed Book: 2003 **Grid East:** 1097948

Total Acreage/Size:

Land Assessment:

Property Desc:

Deed Page: 2520 **Grid North:** 1278999

Area

Living Area: 0 sq. ft. First Story Area: 0 sq. ft. **Second Story Area:** 0 sq. ft. 0 sq. ft. **Half Story Area: Additional Story Area:** 0 sq. ft. 3/4 Story Area: 0 sq. ft. Finished Basement: **Number of Stories:** 0 sq. ft. **Finished Rec Room Finished Area Over** 0 sq. ft. 0 sq. ft. Garage

Structure

Building Style: 0 **Bathrooms (Full - Half):** 0 - 0 0 0 **Bedrooms: Kitchens:** Fireplaces: 0 **Basement Type:** 0 Porch Type: Porch Area: 0.00 **Basement Garage Cap: Attached Garage Cap:** 0.00 sq. ft. **Overall Condition:**

Overall Grade: Eff Year Built:

Owners

Year Built:

Juliette Passer 28 Wall St Bernhards Bay NY 13028

Sales

Sale Date	Price	Property Class	Sale Type	Prior Owner	Value Usable	Arms Length	Addl. Parcels	Deed Book and Page
8/4/2003	\$14,000	322 - Rural	Land & Building	MATTHEWS CHARLES	No	Yes	Yes	2003/2520

Utilities

Sewer Type:	None	Water Supply:	None
Utilities:	Electric	Heat Type:	0
Fuel Type:	0	Central Air:	No

vac>10

Improvements

Structure	Size	Grade	Condition	Year

Land Types

Туре	Size
Undeveloped	1.00 acres
Pasture	11.50 acres

Special Districts for 2025 (Tentative)

Description	Units	Percent	Туре	Value
FP321-Lewis fire	0	0%		0
protect				

Special Districts for 2024

Description	Units	Percent	Туре	Value
FP321-Lewis fire	0	0%		0
protect				